

# Dynamic Channel Modelling for Multimode Fibre Links in All Linear Coupling Regimes

Rekha Yadav, Fabio A. Barbosa, and Filipe M. Ferreira

Optical Networks, Dept Electronic & Electrical Eng., University College London, rekha.yadav.22@ucl.ac.uk

**Abstract** We introduce a new drift model for slow environmental perturbation affecting modal mixture and walk-off. Mode coupling strength asymmetries between mode pairs of different mode groups are preserved while transmission matrix is decorrelated. Large impact on channel equalization performance is observed for an SVD-MIMO system. ©2023 The Author(s)

## Introduction

One of the potential technologies to fulfil the increased demand of information transfer is the use of space division multiplexing (SDM) [1, 2]. Multimode fibre based SDM uses  $N$  spatial modes to increase the capacity approximately by  $N$ -times as compared to single mode fibre [3, 4]. Increase in the capacity also leads to increase in equalisation complexity as data in the multimode fibre experiences group delay spread due to the differential mode delay and linear mode coupling [5]. Several works model linear mode coupling assuming that it arises from the small deviation in the core-cladding boundary given deformations during fabrication and/or installation process [5, 6].

Environmental effects such as vibration or temperature fluctuations, affect the linear coupling between the modes [7-9]. Thus, the study of these effects in the transmission system is required to understand the effect of slow and fast time varying perturbations in real-field deployment where the channel is quite not stable [10-14]. Recently, the effect of environmental perturbations on multimode SDM transmission systems was studied for channels in strong coupling regime scenario [14, 15]. As we show further on, for the weak and intermediate coupling regime, this model enhances the background coupling between all pairs of modes including for mode pairs from non-adjacent mode groups, which is not desirable. Therefore, a stochastic model taking account of channel drift keeping the modal coupling behaviour same and closely matches with the fibre in real-time is required. In this work, we develop a fibre model accounting the effect of slow time varying perturbations (drift), extending our existing linear coupling model [6].

## Modelling of Multimode Fibre Channel

For the unperturbed dielectric waveguide, the propagating field can be expressed as a linear combination of the ideal modes  $\mathbf{E}(x, y, z, t) = \sum A_m(z, t) \mathbf{E}_m(x, y)$  where  $m$  is the mode index,  $A_m(z, t)$  is the slowly varying mode field envelope and  $\mathbf{E}_m(x, y)$  is the ideal electric field

distribution. In the presence of a time-invariant dielectric perturbation  $\Delta\epsilon(x, y, z)$ , the coupling between the ideal modes is described by the following coupled-mode equations [16-18]:

$$\partial_z A_m(z, t) = -j[\beta_m(z) + \alpha_m(z) \cdot \boldsymbol{\sigma} + \sum K_{m,n}(z)] A_m(z, t) \quad (1)$$

$$K_{m,n}(z) = \omega \epsilon_0 / 4 \iint \Delta\epsilon(x, y, z) E_m^* E_n dx dy \quad (2)$$

where  $\beta_m$  is the propagation constant of mode  $m$ ,  $\alpha_m(z) \cdot \boldsymbol{\sigma}$  [7, 9, 16] accounts for the polarization rotation of mode  $m$  with  $\alpha_m = \theta_m \hat{a}$ , a  $\theta$  rotation of  $[0, \pi]$  over a vector  $\hat{a}$  in an unit sphere,  $\boldsymbol{\sigma} = (\sigma_1, \sigma_2, \sigma_3)$  is a tensor of the Pauli spin matrices, and  $K_{m,n}$  are the coupling coefficients given by the area integral of the inner product of the electrical fields of mode  $m$  and mode  $n$ , over the area where the permittivity perturbation  $\Delta\epsilon(x, y, z) \neq 0$ .

Considering a multi-section approach with  $\beta_m$  and  $K_{m,n}$  constant over an arbitrary small length  $dz$ , the solution of (1), for a time-invariant  $A_m(z=0, t)$ , is given by the exponential matrix [17]:

$$\mathbf{A}(z+dz) = \expm(-j[\mathbf{K}(z) + \mathbf{R}(z) + \boldsymbol{\beta}(z)]dz) \quad (3)$$

where  $\mathbf{A} = [A_1, A_2, \dots, A_{2N}]^T$ ,  $\mathbf{R}$  is a block diagonal matrix with a sequence of  $2 \times 2$   $N$  submatrices  $(\alpha_m(z) \cdot \boldsymbol{\sigma}(z))$  along the diagonal,  $\boldsymbol{\beta}$  is a diagonal matrix containing the propagation constants  $\beta_m$ , and  $\mathbf{K}$  is a matrix whose elements are  $K_{m,n}$ . In the following, the  $\beta_m$  and  $K_{m,n}$  correspond to those for the refractive index profiles optimised for low modal delay in [19].  $\beta_m$  are kept constant over all fibre sections while  $K_{m,n}$  changes given a random radial and azimuth offset in each section, following [6].  $\mathbf{K}$  is calculated for the case in which  $\mathbf{E}_m$  and  $\mathbf{E}_n$  in (2) are co-polarized following [6, 7, 16].

In the following, crosstalk ( $XT$ ) refers to the ratio between the mode set of interest  $\sum_m P_m$  and the set of interfering modes  $\sum_v P_v$ , this is  $XT = (\sum_v P_v / \sum_m P_m)$ . For example, when using independent polarization diverse coherent receiver for each mode, one can define both polarizations of mode  $m$  as the set of interest, and all the others as aggressors. We follow this case.




Fig. 1. Power coupling between modes (a) without drift (b) with HoP-drift (c) with  $\Delta\beta$ -drift model for a 15-mode fibre. Fibre crosstalk strength is -40 dB/km and  $\delta t/T_{env} = 1$ .

### Incorporating Modal Dynamics

The slow drift perturbation model proposed in [20] considers a channel in the strong coupling regime. The drifted channel is described by  $\expm(M_{sh} + (\kappa)^{1/2} M_{pert} \delta t/T_{env})$  where  $M_{sh}$  and  $M_{per}$  are random skew-Hermitian matrices for mode coupling and drift perturbation, respectively.  $M_{sh}$  and  $M_{per}$  have element-wise independent complex Gaussian random variables, and  $\kappa$  is the perturbation variance to achieve decorrelation when the change in time  $\delta t$  equals the characteristic time  $T_{env}$ . We refer to this model as homogenous perturbation drift model (HoP-drift). The HoP model has been proven reliable for fibres in the strong coupling regime [15]. However, in the weak-to-intermediate coupling regime the variance of the elements of  $M_{sh}$  is not homogeneous as crosstalk is strongest for modes in the same group, followed by coupling between modes of adjacent groups. Thus, applying a homogeneous perturbation artificially introduces coupling between sets of modes whose coupling strength should have remain negligible otherwise.

Here, we propose a model where perturbation is applied only to  $\beta_m$  keeping  $K_{m,n}$  unchanged. In this way, we are accounting for slow drift perturbations such as temperature drift that are known to lead to changes in refractive index  $\eta$  that impact  $\beta_m \approx \eta \cdot 2\pi/\lambda$  directly. However,  $K_{m,n}$  is mostly determined by relative refractive index changes, see (2), that follow the difference in thermo-optic coefficient between SiO<sub>2</sub> and Ge and/or F. The model proposed here, referred to as  $\Delta\beta$ -drift model, can be described as:

$$\mathbf{A}_{\Delta\beta\text{-drift}}(z+dz, t+dt) = \expm(-j[\mathbf{K} + \mathbf{R} + (\beta + \Delta\beta(\kappa)^{1/2} \delta t/T_{env})] dz) \quad (4)$$

where  $\Delta\beta$  is a diagonal matrix containing the perturbation in the propagation constants whose elements are independent real Gaussian random variables of unit variance, and  $\kappa$  controls the perturbation strength. Here,  $\kappa$  is determined when drift is applied to all sections of the fibre.

Fig. 1 shows the 15-modes fibre transmission matrix for 1 km length with XT strength as -40 dB/km where each section length is

considered as 10m, (a) without drift and (b) with HoP-drift and (c) with the proposed  $\Delta\beta$ -drift – considering  $\delta t/T_{env} = 1$ . In Fig. 1 (b), the enhanced crosstalk is evident in overall and in particular for degenerate modes due to the homogeneous addition of perturbation in the HoP-drift. However, in Fig. 1 (c), it can be observed that the XT assymetries between and within mode groups remain unchanged with time despite having a decorrelated channel matrix.

To further investigate the proposed drift model, we analyse the crosstalk for a single section with a given core-cladding imperfection, for a 15-modes fibre considering  $\delta t/T_{env} = 0.005$ . Fig. 2 shows the evaluated XT for each mode  $m$  as a function of the normalized radial displacement (each point averaged over the azimuthal displacement and polarization rotation, as in [6]). We observe that with  $\Delta\beta$ -drift model, XT strength remains the same as for the case without drift for all the radial displacement values. Whereas, it can be observed that with the HoP-drift model, few modes have few orders of magnitude higher crosstalk than other modes, for small values of radial displacement. Near-degenerate modes are characterized by small propagation differences and small  $K_{m,n}$ , and therefore when applying homogeneous perturbation these will be most affected. This conveys that HoP-drift model is not suitable for the weak to intermediate coupling regimes. The change in the crosstalk distribution





Fig. 2: XT as a function of the radial displacement for each mode  $m$  in a 15 mode fibre with  $\delta t/T_{env} = 0.005$  in the drift models.




**Fig. 3:** XT at the output with drift models for fibres with {6,10,15,21} modes by varying  $\delta t/T_{env}$  for the 1 km fibre of crosstalk strength -30 dB/km. XT is averaged over all modes.

with single step, in HoP-drift model, will keep propagating over the length of the fibre. Though, HoP-drift model follows the XT characteristic without drift for radial offset larger than 0.02.


Fig. 3 shows the average XT with drift as a function of  $\delta t/T_{env}$  for a length of 1 km with section length as 10 m and the fibre crosstalk strength as -30 dB/km. We observe that as  $\delta t/T_{env}$  increases, XT remains at the crosstalk strength level inherent to the fibre for the  $\Delta\beta$ -drift model whereas with the HoP-drift model increases beyond this level as seen in Fig. 2. Moreover, for the  $\Delta\beta$ -drift model, we observe some fluctuations in the crosstalk values for higher values of time instants and it is due to the large  $\Delta\beta$  perturbation upsetting the coupling of degenerate modes such as LP<sub>11a</sub> and LP<sub>11b</sub>.

In the transmission systems, channel equalisation will be necessary to unravel the coupling introduced by channel and recover the spatial tributaries launched. An ideal solution to interference-limited MIMO systems is the SVD approach – used here for simplicity without lack of generality. Further, we calculate the SVD of the channel without drift, and then equalize the drifted channel after a certain time while accounting for the fact that in the SVD approach channel state of information must be exchanged between the transmitter and the receiver.

Fig. 4 shows the residual XT for different  $\delta t/T_{env}$  and observe that the HoP-drift model has higher residual XT than the  $\Delta\beta$ -drift model for all the time instants. We observe that the residual XT in the  $\Delta\beta$ -drift model saturates around the fibre crosstalk strength value for large time instants. The residual XT level is not following the number of modes, it would be unexpected otherwise since the fibres used here were optimised for minimum group delay [19] whereas the coupling is largely dependent on the difference in the propagation constant between



**Fig. 4:** XT residual averaged over all modes as a function of  $\delta t/T_{env}$  for the 1 km fibre with crosstalk strength -30 dB/km.



**Fig. 5:** Difference in residual XT between HoP-drift model and the  $\Delta\beta$ -drift model for different XT strength and number of modes in the fibre.

modes. Fig. 5 shows the difference in XT residual between the HoP-drift model and the  $\Delta\beta$ -drift model varying the crosstalk strength of the fibre. We observe that the difference in residual XT decreases with the increase in the crosstalk strength of the fibre. This confirms that the performance of both the drift models coincide in the strong coupling regime, whereas there is a large difference in the weak to intermediate coupling regime.

## Conclusions

We have introduced a drift model for multimode fibres that is applicable to all linear coupling regimes. Including, to the intermediate regime, that is most relevant to conventional fibres. The model proposed is shown to decorrelate the channel while keeping the mode coupling characteristic to all mode pairs. The model applicability is confirmed for an SVD-MIMO system.

## Acknowledgements

This work was supported by the UKRI Future Leaders Fellowship MR/T041218/1. To access the underlying data for this publication, see: <https://doi.org/10.5522/04/22771262>.

## References

- [1] D. J. Richardson, J. M. Fini, and L. E. Nelson, "Space-division multiplexing in optical fibres," *Nature Photonics*, vol. 7, no. 5, pp. 354-362, 2013, doi: 10.1038/nphoton.2013.94.
- [2] R.-J. Essiambre and R. W. Tkach, "Capacity Trends and Limits of Optical Communication Networks," *Proceedings of the IEEE*, vol. 100, no. 5, pp. 1035-1055, 2012, doi: 10.1109/jproc.2012.2182970.
- [3] W. Klaus, P. J. Winzer, and K. Nakajima, "The Role of Parallelism in the Evolution of Optical Fiber Communication Systems," *Proceedings of the IEEE*, vol. 110, no. 11, pp. 1619-1654, 2022, doi: 10.1109/JPROC.2022.3207920.
- [4] F. M. Ferreira, F. A. Barbosa, A. Ruocco, and M. C. Lo, "Scaling up SDM transmission capacity," in *2022 IEEE Photonics Conference (IPC)*, 2022, pp. 1-2, doi: 10.1109/IPC53466.2022.9975550.
- [5] C. Antonelli, A. Mecozzi, and M. Shtaif, "The delay spread in fibers for SDM transmission: dependence on fiber parameters and perturbations," *Optics Express*, vol. 23, no. 3, pp. 2196-2202, 2015, doi: 10.1364/OE.23.002196.
- [6] F. M. Ferreira, C. S. Costa, S. Sygletos, and A. D. Ellis, "Semi-Analytical Modelling of Linear Mode Coupling in Few-Mode Fibers," *Journal of Lightwave Technology*, vol. 35, no. 18, pp. 4011-4022, 2017, doi: 10.1109/JLT.2017.2727441.
- [7] M. Fridman, H. Suchowski, M. Nixon, A. A. Friesem, and N. Davidson, "Modal dynamics in multimode fibers," *J. Opt. Soc. Am. A*, vol. 29, no. 4, pp. 541-544, 2012/04/01 2012, doi: 10.1364/JOSAA.29.000541.
- [8] F. A. Barbosa and F. M. Ferreira, "On the advantages of principal modes for multimode SDM transmission systems," in *Optical Fiber Communication Conference*, 2023: Optica Publishing Group, p. Th2A. 31.
- [9] C. B. Czegledi, M. Karlsson, E. Agrell, and P. Johannisson, "Polarization drift channel model for coherent fibre-optic systems," *Scientific reports*, vol. 6, no. 1, p. 21217, 2016.
- [10] P. M. Krummrich, E.-D. Schmidt, W. Weiershausen, and A. Mattheus, "Field Trial Results on Statistics of Fast Polarization Changes in Long Haul WDM Transmission Systems," in *Optical Fiber Communication Conference* 2005, p. OThT6. <http://www.osapublishing.org/abstract.cfm?URI=OFC-2005-OThT6>.
- [11] G. M. Saridis *et al.*, "Dynamic skew measurements in 7, 19 and 22-core multi core fibers," in *2016 21st OptoElectronics and Communications Conference (OECC) held jointly with 2016 International Conference on Photonics in Switching (PS)*, 2016, pp. 1-3.
- [12] G. Rademacher, R. S. Luís, B. J. Puttnam, Y. Awaji, and N. Wada, "Crosstalk dynamics in multi-core fibers," *Optics Express*, vol. 25, no. 10, pp. 12020-12028, 2017/05/15 2017, doi: 10.1364/OE.25.012020.
- [13] P. M. Krummrich, C. Spennner, and K. Petermann, "Dynamic linear mode coupling effects in multi mode fibers for mode division multiplexed transmission (invited)," in *2022 IEEE Photonics Society Summer Topicals Meeting Series (SUM)*, 2022, pp. 1-2, doi: 10.1109/SUM53465.2022.9858227.
- [14] K. Choutagunta and J. M. Kahn, "Dynamic Channel Modeling for Mode-Division Multiplexing," *Journal of Lightwave Technology*, vol. 35, no. 12, pp. 2451-2463, 2017, doi: 10.1109/JLT.2017.2656821.
- [15] A. Vijay and J. M. Kahn, "Effect of Higher-Order Modal Dispersion in Direct-Detection Mode-Division-Multiplexed Links," *Journal of Lightwave Technology*, vol. 41, no. 6, pp. 1670-1683, 2023, doi: 10.1109/JLT.2022.3226704.
- [16] C. Antonelli, G. Riccardi, T. Hayashi, and A. Mecozzi, "Role of polarization-mode coupling in the crosstalk between cores of weakly-coupled multi-core fibers," *Optics Express*, vol. 28, no. 9, pp. 12847-12861, 2020, doi: 10.1364/OE.391092.
- [17] M. B. Shemirani, W. Mao, R. A. Panicker, and J. M. Kahn, "Principal Modes in Graded-Index Multimode Fiber in Presence of Spatial- and Polarization-Mode Coupling," *Journal of Lightwave Technology*, vol. 27, no. 10, pp. 1248-1261, 2009, doi: 10.1109/jlt.2008.2005066.
- [18] D. Marcuse, *Theory of Dielectric Optical Waveguides*. Academic Press, 1991.
- [19] F. M. Ferreira, D. Fonseca, and H. J. A. d. Silva, "Design of Few-Mode Fibers With M-modes and Low Differential Mode Delay," *Journal of Lightwave Technology*, vol. 32, no. 3, pp. 353-360, 2014, doi: 10.1109/JLT.2013.2293066.
- [20] K. Choutagunta, I. Roberts, and J. M. Kahn, "Efficient Quantification and Simulation of Modal Dynamics in Multimode Fiber Links," *Journal of Lightwave Technology*, vol. 37, no. 8, pp. 1813-1825, 2019, doi: 10.1109/JLT.2018.2889675.