Computation with optical oscillator networks

Hiroki Takesue

NTT Basic Research Laboratories, NTT Corporation, 3-1 Morinosato Wakamiya, Atsugi, Kanagawa 243-0198, Japan e-mail: takesue.hiroki@lab.ntt.co.jp

Abstract: We discuss future perspective of a new type of computing based on networks of optical oscillators, which includes coherent Ising machines for combinatorial optimization and coherent XY machine for continuous optimization.

OCIS codes: (190.4970) Parametric oscillators and amplifiers; (200.0200) Optics in computing

As saturation of the Moore's law becomes apparent, new computation methods based on physical systems are being studied intensively. Among such efforts, coherent Ising machine (CIM), which simulates the Ising model using a network of coherent optical oscillators, has been drawing attention [1-6]. Groups that include the author demonstrated that CIMs based on degenerate optical parametric oscillators (OPO) coupled by measurement-feedback could find solutions to complex combinatorial optimization problems [2,3]. Optical oscillator networks have also been employed for simulating XY Hamiltonian using coupled lasers [7] and non-degenerate OPO [8], which are expected to solve continuous optimization problems. In this talk, I will review these studies and describe a future perspective of computing with coupled optical oscillators.

References

- [1] A. Marandi et al, "Network of time-multiplexed optical parametric oscillators as a coherent Ising machine," Nat. Photon. 8, 937 (2014).
- [2] T. Inagaki et al., "A coherent Ising machine for 2000-node optimization problems," Science 354, 603 (2016)
- [3] P. McMahon et al., "A fully-programmable 100-spin coherent Ising machine with all-to-all connections," Science 354, 614 (2016)
- [4] D. Pierangeli et al., "Large-scale photonic Ising machine by spatial light modulation," Phys. Rev. Lett. 122, 213902 (2019).
- [5] M. Babaeian et al., "A single shot coherent Ising machine based on a network of injection-locked multicore fiber lasers," Nat. Commun. 10, 3516 (2019).
- [6] F. Bohm et al., "A poor man's coherent Ising machine based on opto-electronic feedback systems for solving optimization problems," Nat. Commun. 10, 3538 (2019).
- [7] M. Nixon et al., "Observing geometric frustration with thousands of coupled lasers," Phys. Rev. Lett. 110, 184102 (2013).
- [8] Y. Takeda et al., "Bolzmann sampling for an XY model using a non-degenerate optical parametric oscillator network," Quantum Sci. Technol. 3, 014004 (2018).